

# SAFETY DATA SHEET

## Pioneer Wood Patina

Date 4-6-2016



### 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY:

#### PRODUCT IDENTIFIER

**PRODUCT NAME:** Pioneer Wood Patina

#### OTHER MEANS OF IDENTIFICATION

**PRODUCT CODES:** PWPP1, PWPP5, PWPPQT

#### SUPPLIER

#### **MANUFACTURER ADDRESS:**

Pioneer Wood Patina

250 Shepherd Trail Rd. Unit-A

Bozeman, MT. 59718

#### EMERGENCY TELEPHONE NUMBER

**8:00AM- 5:00PM Monday- Friday** 406-624-0654

**NON-BUSINESS HOURS** 406-539-0605

### 2. HAZARDS IDENTIFICATION:

#### CLASSIFICATION

Not a dangerous substance or mixture according to Globally Harmonized System (GHS)

#### LABEL ELEMENTS

#### **EMERGENCY OVERVIEW**

THIS PRODUCT CONTAINS NO SUBSTANCES WHICH AT THEIR GIVEN CONCENTRATIONS, ARE CONSIDERED TO BE HAZARDOUS TO HEALTH

**APPEARANCE:** RED

**PHYSICAL STATE:** POWDER

**ODOR:** NONE

### 3. COMPOSITION/INFORMATION ON INGREDIENTS:

CHEMICAL	CAS#	WEIGHT-%	TRADE SECRET
PRORPIETARY POWDER CONCENTRATE	UNDISCLOSED		*

\*THE EXACT PERCENTAGE (CONCENTRATION) OF COMPOSITION HAS BEEN WITHHELD AS A TRADE SECRET.

### 4. FIRST AID MEASURES:

GENERAL: IN ALL CASES OF DOUBT OR WHEN SYMPTOMS PERSIST, ALWAYS SEEK MEDICAL ATTENTION

INHALATION: Move affected person from exposure. If recovery not rapid or complete seek medical attention.

INGESTION: DO NOT INDUCE VOMITING. In case of spontaneous vomiting, be sure that vomit can freely drain because of danger of suffocation. Only when conscious, rinse mouth with plenty of water and give plenty of water to drink - (approx 500ml). Obtain medical attention if adverse symptoms occur.

SKIN: Wash affected area with plenty of soap and water. If irritation persists, seek medical attention.

EYES: Rinse immediately with plenty of water for at least 5 minutes while lifting the eye lids. Seek medical attention. Continue to rinse.

### 5. FIRE FIGHTING MEASURES:

EXTINGUISHING MEDIA: Use extinguishing media suitable against surrounding fire or the cause of fire.

1 /4

HAZARDOUS COMBUSTION PRODUCTS:

Thermal decomposition may release noxious, corrosive or toxic vapors. - if heated above 600°C the material gives off acidic fumes of Sulphur trioxide.

PROTECTIVE MEASURES IN FIRE: Fire fighters should wear self-contained breathing apparatus.

### 6. ACCIDENTAL RELEASE MEASURES:

PERSONAL PRECAUTION IN SPILL: Avoid direct contact with skin, eyes and clothing.

PRECAUTIONS TO PROTECT ENVIRONMENT:

THIS PRODUCT CONTAINS NO SUBSTANCES WHICH AT THEIR GIVEN CONCENTRATIONS, ARE CONSIDERED TO BE HAZARDOUS TO THE ENVIRONMENT.

SPILL CLEANUP METHODS: Sweep up and repackage or place in receptacle for disposal.

## **7. HANDLING AND STORAGE:**

USAGE PRECAUTIONS: HANDLING - Product should be used in accordance with good industrial principles for handling and storing of chemicals. Avoid creating or raising dust. Avoid contact with skin or eyes.

Gloves, safety goggles, breathing mask and coveralls when handling.

STORAGE PRECAUTIONS: Store in a cool, dry, well ventilated place, in securely closed original container.

## **8. EXPOSURE CONTROLS AND PERSONAL PROTECTION:**

VENTILATION: Provide adequate general and local exhaust ventilation.

RESPIRATORS: An approved dust protection to P2 level of protection is recommended.

PROTECTIVE GLOVES: Use protective gloves.

EYE PROTECTION: Use eye protection.

OTHER PROTECTION: Wear personal protective equipment appropriate to the quantity of material handled.

HYGIENIC WORK PRACTICES: SKIN PROTECTION - apply barrier cream to hands and exposed skin.

## **9. PHYSICAL AND CHEMICAL PROPERTIES:**

APPEARANCE: Red powder, acid/sour.

M ELT./FREEZ. POINT (°C, interval): mp : 64°C

1.9 Temperature (°C): DENSITY/SPECIFIC GRAVITY (g/ml):

SOLUBILITY DESCRIPTION: Solutions in water are slightly acidic.

SOLUBILITY VALUE (g/100g H<sub>2</sub>O 20°C):

33

2 /4

DECOMPOSITION TEMP. (°C): 600°C

## **10. STABILITY AND REACTIVITY:**

STABILITY: Stable under normal conditions of use.

CONDITIONS TO AVOID: Avoid excessive heat.

MATERIALS TO AVOID: Oxidizing agents.

HAZARDOUS DECOMP. PRODUCTS: Thermal decomposition may release toxic and corrosive oxides of Sulphur if heated above 600°C. - (Sulphur trioxide).

## **11. TOXICOLOGICAL INFORMATION:**

LD50. Oral. Mouse. 1530 mg/kg

TOXICOLOGICAL INFORMATION: Ingestion of large doses may cause gastric irritation and possibly delayed metabolic effects.

HEALTH HAZARDS, GENERAL: May cause irritation to eyes, skin, and mucous membranes.

OTHER HEALTH EFFECTS: NONE

## **12. ECOLOGICAL INFORMATION:**

ECOLOGICAL INFORMATION: Unlikely to pose ecological risk.

DEGRADABILITY: None at given concentrations.

## **13. DISPOSAL CONSIDERATIONS:**

DISPOSAL METHODS: Via authorized/licensed waste disposal contractor to an approved waste disposal site, observing all local and national regulations.

## **14. TRANSPORT INFORMATION:**

GENERAL: Not classified as hazardous for transport.

## **15. REGULATORY INFORMATION:**

LABEL FOR SUPPLY:

3 /4

RISK PHRASES: R-22 Harmful if swallowed. R-36/38 Irritating to eyes and skin.

SAFETY PHRASES: S-2 Keep out of reach of children. S-24/25 Avoid contact with skin and eyes. S-26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S-46 If swallowed seek medical advice immediately and show this container label.

UK REGULATORY REFERENCES: Classification, Packaging and Labelling Regulations 1984. Chemicals (Hazard Information & Packaging) Regulations 1993.

## **16. OTHER INFORMATION:**

REVISION COMMENTS: Edition 01; Revised item(s):

ISSUED BY: PC

SDS No.: 1

DATE: 4-6-2016

DISCLAIMER: The foregoing data has been compiled for safety information only and does not form part of any selling specification. Information contained in this Data Sheet is to the best of Pioneer Wood Patinas' knowledge correct at the time of publication. Customers should always satisfy themselves, that the product which they have selected is entirely suitable for their purpose under their conditions of use and in compliance with current regulations. For any further information, please contact the supplier.